


Sample ID	...	Mode	...
Patient ID	...	Doctor	...
Name	...	Sex	...
Test Date & Time	...	Serial Number	...

WBC	24.55 +	10⁹/l	6		17
LYM	1 -	10⁹/l	1		4.8
MON	1.22	10 ⁹ /l	0.2		1.5
NEU	22.27 +	10⁹/l	3		12
EOS	0.05	10 ⁹ /l	0		0.8
BAS	0.01	10 ⁹ /l	0		0.4
LY%	4.1	%	0		100
MO%	5	%	0		100
NE%	90.7	%	0		100
EO%	0.2	%	0		100
BA%	0	%	0		100
RBC	8.12	10 ¹² /l	5.5		8.5
HGB	19.4 +	g/dl	12		18
HCT	51.12	%	37		55
MCV	63	fl	60		77
MCH	23.9	pg	19.5		24.5
MCHC	38	g/dl	31		39
RDWc	16.1	%	14		20
RDWs	38.3	fl			
PLT	139 -	10⁹/l	165		500
PCT	0.12	%			
MPV	8.7	fl	3.9		11.1
PDWc	39.1	%			
PDWs	14.2	fl			



Warnings

Patient ID	...	Sample Type	...
Test Date & Time	...	Rotor Lot Number	...
		Serial Number	...

ALB	37	g/L	25		44
ALP	37	U/L	20		150
ALT	38	U/L	10		118
AMY	666	U/L	200		1200
TBIL	6	umol/L	2		10
BUN	2.8	mmol/L	2.5		8.9
CA	2.58	mmol/L	2.15		2.95
PHOS	0.91 *	mmol/L	0.94		2.13
CRE	83	umol/L	27		124
GLU	5.9	mmol/L	3.3		6.1
NA+	141	mmol/L	138		160
K+	4.0	mmol/L	3.7		5.8
TP	69	g/L	54		82
GLOB	32	g/L	23		52
QC	OK				
HEM	0				
LIP	0				
ICT	0				

Comprehensive Diagnostic